














Push up Needles



Please select the suitable type from the following table or provide detailed application requirements for further design confirmation.



Push up Needles


Part No.	Material	A°	R mm	L mm	D mm
JTA-R-L-D	Tungsten Carbide	8/10/15/20/30	0.015	8/10/12/17/20	0.4/0.5/0.64/0.7
		8/10/15/20/30	0.018	8/10/12/17/20	0.4/0.5/0.64/0.7
		8/10/15/20/30	0.020	8/10/12/17/20	0.4/0.5/0.64/0.7
		8/10/15/20/30	0.025	8/10/12/17/20	0.4/0.5/0.64/0.7
		8/10/15/20/30	0.030	8/10/12/17/20	0.4/0.5/0.64/0.7
		8/10/15/20/30	0.035	8/10/12/17/20	0.4/0.5/0.64/0.7
		8/10/15/20/30	0.040	8/10/12/17/20	0.4/0.5/0.64/0.7
		8/10/15/20/30	0.050	8/10/12/17/20	0.4/0.5/0.64/0.7
		8/10/15/20/30	0.060	8/10/12/17/20	0.4/0.5/0.64/0.7
		8/10/15/20/30	0.070	8/10/12/17/20	0.4/0.5/0.64/0.7
		8/10/15/20/30	0.075	8/10/12/17/20	0.4/0.5/0.64/0.7
		8/10/15/20/30	0.080	8/10/12/17/20	0.4/0.5/0.64/0.7
		8/10/15/20/30	0.100	8/10/12/17/20	0.4/0.5/0.64/0.7
		8/10/15/20/30	0.125	8/10/12/17/20	0.4/0.5/0.64/0.7
		8/10/15/20/30	0.150	8/10/12/17/20	0.4/0.5/0.64/0.7
		8/10/15/20/30	0.175	8/10/12/17/20	0.4/0.5/0.64/0.7
		8/10/15/20/30	0.200	8/10/12/17/20	0.4/0.5/0.64/0.7
		8/10/15/20/30	0.250	8/10/12/17/20	0.4/0.5/0.64/0.7
		8/10/15/20/30	0.300	8/10/12/17/20	0.4/0.5/0.64/0.7
		8/10/15/20/30	0.350	8/10/12/17/20	0.4/0.5/0.64/0.7
JPA-R-L-D	Torlon	15/20/30	0.015	8/10/12/17/20	0.5/0.64/0.7
		15/20/30	0.018	8/10/12/17/20	0.5/0.64/0.7
		15/20/30	0.020	8/10/12/17/20	0.5/0.64/0.7
		15/20/30	0.025	8/10/12/17/20	0.5/0.64/0.7
		15/20/30	0.030	8/10/12/17/20	0.5/0.64/0.7
		15/20/30	0.035	8/10/12/17/20	0.5/0.64/0.7
		15/20/30	0.040	8/10/12/17/20	0.5/0.64/0.7
		15/20/30	0.050	8/10/12/17/20	0.5/0.64/0.7
		15/20/30	0.060	8/10/12/17/20	0.5/0.64/0.7
		15/20/30	0.070	8/10/12/17/20	0.5/0.64/0.7
		15/20/30	0.075	8/10/12/17/20	0.5/0.64/0.7
		15/20/30	0.080	8/10/12/17/20	0.5/0.64/0.7
		15/20/30	0.100	8/10/12/17/20	0.5/0.64/0.7
		15/20/30	0.125	8/10/12/17/20	0.5/0.64/0.7
		15/20/30	0.150	8/10/12/17/20	0.5/0.64/0.7
		15/20/30	0.175	8/10/12/17/20	0.5/0.64/0.7
		15/20/30	0.200	8/10/12/17/20	0.5/0.64/0.7
		15/20/30	0.250	8/10/12/17/20	0.5/0.64/0.7
		15/20/30	0.300	8/10/12/17/20	0.5/0.64/0.7
		15/20/30	0.350	8/10/12/17/20	0.5/0.64/0.7




Needle Holders & Cups



NH-ASM



NH-ASM-P




NH-ASM(DY)



NH-ASM828



NH-ASM898



NH-ASM862H




NH-ASM8312-0.63x99(DP)



NH-ASM8312-H27D10.4



NH-CANON-BESTEM



NH-CANON(BR)-H25.4D5.5



NH-CH-H20D21(SF)



NH-CH-H102.5D18(SF)



NH-DATACON-H11.5D13.0



NH-ESEC2007



NH-ESEC2100



NH-HANMI-H8



NH-HOLDER(MKC)



NH-NB



NH-DS-H11.5D7-0.7x37




NH-NEC



NH-JAF-H45D18



NH-JAF-H27D8(SF)



NH-ROYCE




NH-WH06-0.7x9(SF)




NH-45S(SF)



NH-45S-MEGNET



NH-45S-H32D4



NH-45S-M8

03

精蓉创

Meeting Future Technology Challenges



Needle Holders & Cups

